



Sidewalk Inspection Form

Must be filled out for every sidewalk constructed in City right-of-way in the City of Rancho Cordova. This form must be filled out and submitted within ten days of construction to the ADA Program Access Coordinator.

Street: _____ **Project Name:** _____

Sides of Street:

N E S W

Nearest Cross-Streets:

STREET _____ STREET _____

Sidewalks per City Standard Drawing 4-25:

Vertical Curb Rolled curb No Curb

Check all that apply:

Planter strip entire length Partial length planter strip

STANDARDS:

- CLEAR WIDTH AT LEAST 48" (NOT INCLUDING CURB) OR AT LEAST 36" AT AN OBSTRUCTION
- NO OVERHEAD OBSTRUCTIONS LOWER THAN 84".
- CROSS-SLOPE 1.5%. RUNNING SLOPE NOT GREATER THAN STREET OR 5%, WHICHEVER IS GREATER.
- NO GAPS WIDER THAN 1/2".
- SURFACE CONCRETE OR ASPHALT, BROOM FINISH OR EQUAL SLIP-RESISTANCE.
- NO DROP-OFF GREATER THAN 4" AT BACK OR AT PLANTER STRIP.

NORTH OR EAST CROSS-STREET _____

NORTH OR WEST SIDE OF STREET:

SIDEWALK CLEAR WIDTH: A1: _____ FT. _____ IN.
 A2: _____ FT. _____ IN.
 A3: _____ FT. _____ IN.

PLANTER STRIP WIDTH: B: _____ FT. _____ IN.
 (PUT "0" IF NO PLANTER STRIP)

RUNNING SLOPE: C1: _____ % C2: _____ % C3: _____ %

CROSS-SLOPE: D1: _____ % D2: _____ % D3: _____ %

OTHER SPECIFIC CONDITIONS: _____

SOUTH OR EAST SIDE OF STREET:

SIDEWALK CLEAR WIDTH: E1: _____ FT. _____ IN.
 E2: _____ FT. _____ IN.
 E3: _____ FT. _____ IN.


PLANTER STRIP WIDTH: F: _____ FT. _____ IN.
 (PUT "0" IF NO PLANTER STRIP)

RUNNING SLOPE: G1: _____ % G2: _____ % G3: _____ %

CROSS-SLOPE: H1: _____ % H2: _____ % H3: _____ %

OTHER SPECIFIC CONDITIONS: _____

DRAW ALL OBSTRUCTIONS OR HAZARDS ON THE PLAN:



SOUTH OR EAST CROSS-STREET _____

Inspected/measured by (print): _____ **Date Field Measured:** _____

Directions: Three measurements shall be taken at various locations along the sidewalk. None of the three recorded measurements may exceed the limits indicated above. See reverse side for Compliance with Standards.